

3015 Microscope Series

The 3015 microscope series brings superior research level, **Infinity** corrected optics to laboratories, hospitals and educational institutions at an affordable price. The most advanced optical and mechanical components are incorporated to offer exceptional value, versatility and performance to meet the exacting requirements of life science professionals.

3016EPI



Eyepieces: HWF10x eyepieces, 20mm field of view.

Head: Precise Siedentopf binocular or trinocular viewing head, inclined 30° and rotatable 360° for maximum flexibility. Interpupillary distance settings (55-75mm) and diopter adjustment allow the user to maintain objective parfocality when switching to different objective magnifications. The trinocular viewing head is available with either a photo or CCTV tube.

Stand: Ergonomically designed with comfortable low position coaxial coarse and fine focusing controls and an adjustable tension control to maximize individual comfort and convenience. A built-in fixed focus stop allows for rapid image focusing while protecting specimens and objectives. Acid resistant lustrous almond finish.

Nosepiece: Quadruple, ball bearing, reverse angle nosepiece with positive click stops to ensure parcentration. Durable, wide rubber grip on turret makes switching objectives fast and easy.

Objectives: Infinity corrected, DIN standard achromat or plan, parfocal, parcenter and color-coded. ∞4x (N.A. 0.10), ∞10x (N.A. 0.20), ∞40xR* (N.A. 0.66), 100xR* (N.A. 1.25) oil immersion.

*Retractable Spring Mount

Stage: Professional double-plate graduated mechanical stage (155 mm x 135 mm) with vernier scales to provide accurate specimen location. Travel area 75mm (X) x 50mm (Y), with a low position right-hand control.


Sub-stage: Pre-centered N.A. 1.25 three lens Abbe condenser with iris diaphragm is adjustable by an advanced rack and pinion control. A built-in centering device provides evenly illuminated image fields at all magnifications.

Illumination: Koehler-type variable 6 volt 20 watt enhanced halogen illuminator. Field diaphragm incorporates an aspheric lens system and filter holder for critical illumination. Pre-centered mount for the bulb filament refines light for all contrast techniques. Trap door makes bulb replacement fast and easy.

Anti-mold: Optical surfaces in the viewing head are protected with an anti-mold system to ensure proper performance in unusually hot and humid environments.

Optional Accessories: Phase contrast, polarization, darkfield, Eyepieces - WF15x (15mm F.O.V.) and WF20x (11mm F.O.V.), Objectives - Plan 2x with auxillary lens, Plan 20x and 50xR* oil, 5-hole nosepiece, 21mm micrometers and microscope carry case.

Miscellaneous: 5-year warranty, dust cover, eye-guards, immersion oil and blue filter are included with each complete model.



CAT#	DESCRIPTION	ILLUMINATION
3015	Binocular	6v20w variable halogen
3015PL	Binocular with plan objectives	6v20w variable halogen
3015PH	Binocular with plan phase objectives, turret phase condenser	6v20w variable halogen
3015EPI	Binocular	EPI Fluorescence with blue and green filter cube, 100W mercury bulb
3016	Trinocular	6v20w variable halogen
3016PL	Trinocular with plan objectives	6v20w variable halogen
3016PH	Trinocular with plan phase objectives, turret phase condenser	6v20w variable halogen
3016EPI	Trinocular	EPI Fluorescence with blue and green filter cube, 100W mercury bulb

